

STATIC-2002R ROUTINE SAMPLE **Estimated 5-year sexual recidivism rates**

Logistic Regression Estimates			
Score	Predicted Recidivism Rate	95%	C. I.
-2	0.7	0.2	2.6
-1	1.0	0.3	3.3
0	1.2	0.4	4.0
1	1.6	0.5	5.0
2	2.1	0.7	6.2
3	2.8	1.0	7.6
4	3.6	1.3	9.4
5	4.6	1.8	11.7
6	6.0	2.4	14.4
7	7.7	3.1	17.7
8	9.8	4.1	21.7
9	12.5	5.4	26.4
10	-	-	-
11	-	-	-
12	-	-	-
13	-	-	-
Total N*	526		

*N is the total sample size used in the logistic regression analysis to generate predicted recidivism values. The sample size with a particular Static-2002R score is not reported because logistic regression uses information on the relationship between Static-2002R and recidivism in the complete dataset to generate predicted values.

Notes. Estimates are only provided for scores with at least 8 cases available for analysis. 10-year recidivism estimates were not provided for the routine sample group due to insufficient data.

STATIC-2002R NON-ROUTINE SAMPLE
Estimated 5-year and 10-year sexual recidivism rates

Score	Logistic Regression Estimates					
	5-Year Sexual Recidivism Rates			10-Year Sexual Recidivism Rates		
	Predicted Recidivism Rate	95%	C. I.	Predicted Recidivism Rate	95%	C. I.
-2	-	-	-	-	-	-
-1	-	-	-	-	-	-
0	4.8	3.3	7.0	8.6	6.1	11.9
1	6.2	4.5	8.6	10.8	8.0	14.4
2	8.0	6.0	10.7	13.5	10.3	17.5
3	10.3	7.8	13.4	16.8	12.8	21.6
4	13.0	10.0	16.8	20.6	15.6	26.7
5	16.4	12.5	21.3	25.1	18.6	32.9
6	20.5	15.3	26.9	30.2	21.8	40.2
7	25.2	18.4	33.6	35.8	25.2	48.0
8	30.7	21.9	41.2	41.8	28.8	56.2
9	36.7	25.7	49.3	48.1	32.6	64.0
10	43.2	29.8	57.6	54.5	36.6	71.3
11	49.9	34.3	65.6	60.7	40.8	77.6
12	-	-	-	-	-	-
13	-	-	-	-	-	-
Total N*	1,121			767		

*N is the total sample size used in the logistic regression analysis to generate predicted recidivism values. The sample size with a particular Static-2002R score is not reported because logistic regression uses information on the relationship between Static-2002R and recidivism in the complete dataset to generate predicted values.

Note. Estimates are only provided for scores with at least 8 cases available for analysis.

STATIC-2002R HIGH RISK/NEED GROUP
Estimated 5-year and 10-year sexual recidivism rates

Score	Logistic Regression Estimates					
	5-Year Sexual Recidivism Rates			10-Year Sexual Recidivism Rates		
	Predicted Recidivism Rate	95%	C. I.	Predicted Recidivism Rate	95%	C. I.
-2	-	-	-	-	-	-
-1	-	-	-	-	-	-
0	5.9	4.6	7.5	10.0	8.2	12.1
1	7.6	6.2	9.2	12.5	10.6	14.7
2	9.7	8.1	11.5	15.6	13.2	18.2
3	12.3	10.3	14.7	19.2	15.9	23.0
4	15.5	12.7	18.9	23.5	18.7	29.1
5	19.4	15.3	24.3	28.4	21.6	36.2
6	24.0	18.3	30.9	33.8	24.8	44.2
7	29.3	21.6	38.4	39.7	28.2	52.5
8	35.2	25.2	46.7	46.0	31.8	60.8
9	41.6	29.1	55.2	52.3	35.7	68.5
10	48.3	33.4	63.4	58.6	39.7	75.3
11	55.0	37.9	71.0	64.6	43.8	81.0
12	-	-	-	-	-	-
13	-	-	-	-	-	-
Total N*	931			642		

*N is the total sample size used in the logistic regression analysis to generate predicted recidivism values. The sample size with a particular Static-2002R score is not reported because logistic regression uses information on the relationship between Static-2002R and recidivism in the complete dataset to generate predicted values.

Note. Estimates are only provided for scores with at least 8 cases available for analysis.